

'O' Calf GoldLyte®

Electrolyte/Microbial Supplement For Calves

Consider for organic use

Contains a source of live (viable) naturally occurring microorganisms.

GUARANTEED ANALYSIS (minimum per gram)

Salt (minimum):	7.3 %
Salt (maximum):	8.7 %
Sodium (minimum):	6.9 %
Sodium (maximum):	8.2 %
Potassium (minimum):	1.96 %

Live Microbial Count:

50 million colony forming units

(Lactobacillus acidophilus, Lactobacillus casei, Enterococcus faecium, Lactobacillus lactis, Pediococcus acidilactici, Bifidobacterium bifidum, Bifidobacterium infantis, Bifidobacterium longum)

INGREDIENTS: Organic sugar, sodium bicarbonate, sodium chloride, sodium bicarbonate, potassium chloride, hydrolyzed yeast, monosodium phosphate, magnesium sulfate, organic dried kelp, ascorbic acid, thiamine mononitrate, riboflavin supplement, niacin supplement, calcium pantothenate, pyridoxine hydrochloride, folic acid, biotin, vitamin B12 supplement, dried Lactobacillus acidophilus fermentation product, dried Lactobacillus casei fermentation product, dried Enterococcus faecium fermentation product, dried Lactobacillus lactis fermentation product, dried Pediococcus acidilactici fermentation product, dried Bifidobacterium bifidum fermentation product, dried Bifidobacterium infantis fermentation product, dried Bifidobacterium longum fermentation product.

NOTICE

All microbial and enzyme sources in Bio-Vet products are naturally occurring (non-GMO). No Bio-Vet products are irradiated nor are any components derived from sewage sludge.

RECOMMENDED USES:

Nutritional supplement for mixing with daily water supply, for dehydrated calves at shipping, during fluid loss, when experiencing intestinal upset, off-feed due to shipping, handling, disease, or hot weather, to reduce shrink, in conjunction with veterinary therapy for diarrhea, other times listed nutrients, electrolytes and microbial cultures are desired.

FEEDING DIRECTIONS: Enclosed scoop holds 40 grams electrolyte powder when filled level to rim.

Daily feeding during hot weather - Mix at following rates with daily drinking water offered between milk feedings. One level scoop (40 grams) per gallon of water to two level scoops (80 grams) per 5 gallons water; 5 Kg pouch per 125 to 300 gallons of water.

Dehydrated calves, calves with diarrhea - Mix 80 grams (2 level scoops) with warm water to make 2 liters of electrolyte solution. Feed 2 liters of resulting electrolyte solution twice daily or as a drench or with a stomach tube for calves up to 250 lbs. body weight.

For calves fed milk or milk replacer, separate milk / milk replacer feeding and electrolyte solution feeding by at least 30 minutes or alternately feed milk or electrolyte solution at intervals spaced evenly throughout day. Consult veterinarian for proper drenching / tubing procedures. Discard any mixture not used immediately.

STORAGE: Keep closed tightly between uses. Store in cool, dry place.

PRODUCT CODE

OG-01563 5 kg pouch (62 feedings), 4 pouches / case



TS_OCalfGoldLyteRevised09102021

Bio-Vet, Inc. • 300 Ernie Drive • Barneveld, WI 53507, U.S.A. • (800) 246- 8381 • Fax (608) 924- 7006 • www.Bio-Vet.com